




9 inch monitor metal

Model: 9HD7M

This 9 inch Full HD monitor delivers best-in-class picture quality with excellent 178° viewing angles. The 9 inch monitor has a sturdy metal housing and is ideal for desktop, flush and wall mounting. The 9HD7M can be connected via HDMI, VGA, BNC or RCA connections.

- ✓ 1920 x 1200 resolution (Full HD)
- ✓ Input: HDMI, VGA, BNC and RCA
- ✓ Desktop, flush and wall mountable
- ✓ 8.6 x 5.9 x 1.4 inches



GENERAL

Manufacturer	Beetronics
Item number	9HD7M
Previous model	9HDM
Product name	9 inch monitor metal
Warranty	2 years

PANEL

Type	Matte, LED-IPS
Diagonal size	9 inches (228 mm)
Aspect ratio	16:10 (16:9, 4:3 adjustable)
Native resolution	1920 x 1200
Supported resolutions	1920 x 1200 (max), 640 x 480 (min)
Pixels per inch	251 PPI
Viewing angle	178° horizontal, 178° vertical
Brightness	450 cd/m2
Contrast	900:1

CONNECTIVITY

HDMI	✓ 1x
VGA	✓ 1x
BNC (CVBS)	✓ 1x
RCA video	✓ 1x
AUX input	✓ 1x
AUX output	✓ 1x
USB	✓ 1x (MP4, AVI, MKV, MOV, MPG, MP3, WMA, JPG, JPEG, PNG)

SIZE & WEIGHT

Colour	Black
Weight	2 lbs (2,9 lbs with stand)
Width	8.6 inches
Height	5.9 inches (+0 to 1.5 inches with stand)
Thickness	1.3 inches
Display dimensions	7.6 x 4.8 inches

FEATURES AND FUNCTIONS

Audio	Integrated speakers
Key-lock	The control buttons can be blocked
Auto-on	Automatically powers on when it receives current or a signal
Dimmable	Adjustable backlight brightness
Mirroring	Image can be mirrored, horizontally and vertically

POWER

Input voltage	DC 9-28V
Power supply	Input: 110-240V ~ 50/60Hz - Output: 12V-2A
Consumption	8.5 Watt

ENVIRONMENTAL

Operating temperature	-4°F to +140°F
Storage temperature	-4°F to +158°F
Operating humidity	20% - 90% non-condensing

MOUNTING

Wall mount	✓ VESA (75 mm)
Flush mount	✓ Mounting strips included
Stand	✓ Adjustable and detachable

CERTIFICATIONS & STANDARDS

Certifications	CE, FCC, RoHS, REACH, UKCA
----------------	----------------------------

PACKAGE CONTENT

Includes	Monitor, Stand, Remote control, Mounting strips, AC power adapter, Manual
----------	---



